

ADITYA BIRLA CHEMICALS (INDIA) LIMITED

(RENUKOOT CHEMICAL WORKS DIVISION) P.O. RENUKOOT - 231217, SONEBHADRA, (U.P)

MATERIAL SAFETY DATA SHEET

CAUSTIC SODA FLAKES SODIUM HYDROXIDE, ANHYDROUS

.....

1. **IDENTIFICATION**

2.

| Trade Marks and Synonyms (if any) | Caustic Soda Flakes, Sodium Hydroxide Anhydrous | |
|-----------------------------------|--|--|
| Chemical Names and Synonyms | Sodium Hydroxide Anhydrous | |
| Physical Form | Solid, White flakes, odourless | |
| Molecular Formula | NaOH | |
| Molecular Weight | 40.00 | |
| Manufacturer Name & Address | Aditya Birla Chemicals (India) Ltd, Dist. Sonebhadra, Renukoot (UP) 231217, INDIA Telephone: 91-5446-252088 e-mail: abcil.renukoot@adityabirla.com | |
| Responsible Person | Safety Officer; Aditya Birla Chemicals (India) Ltd Dist Sonebhadra (UP) 231217, INDIA | |
| INFORMATION OF MAJOR INGREDIENTS | | |
| Chemical Name | Sodium hydroxide, Anhydrous | |
| CAS No | 1310-73-2 | |
| Formula | NaOH | |
| Percentage | Min. 96 | |



3. HAZARD IDENTIFICATION

| Main Risk | |
|-------------------|--|
| Contact with skin | Causes burns |
| Contact with eyes | Severe damage |
| Safety Phrases | Keep out of reach of children. |
| | In case of contact with eye, wash immediately with plenty of water for 15-20 minutes. Seek medical aid. |
| | Remove contaminated clothes & shoes. Wash affected area with plenty of water. If inhaled, remove the victim to fresh air area & support respiration. |
| | Seek Medical Aid immediately for all types of exposure. |

4. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance and Odour | Solid, White flakes, odourless |
|---------------------------------|---|
| рН | Not Applicable |
| Specific Gravity | $0.7 - 0.8 \text{ gm/cc} \text{ at } 25 \degree \text{C}$ |
| Melting Point | 318 °C |
| Boiling Point | 1390 °C |
| Flash Point | Not pertinent |
| Auto ignition | Not pertinent |
| Flammable Limit | Not pertinent |
| Vapour Pressure (mm Hg) | Not pertinent |
| Solubility in Water | 100 % soluble |
| Solubility in Organic Solvents | Soluble in alcohol, Methanol and Glycerol |
| Oxidizing /Explosive Properties | No |



5. STABILITY AND REACTIVITY

6.

In contact with skin

In contact with eyes

Inhalation

Ingestion

| Stability | As supplied it is stable at normal temperature & pressure. When exposed to air, it absorbs moisture. |
|----------------------------------|---|
| Conditions to avoid | Avoid contact with water.Direct contact with water may cause exothermic reaction.Carbon monoxide gas may form upon contact with reducing sugars, food and beverage products in enclosed spaces. |
| Material to avoid | Water, Acids, Halogenated compounds, prolonged contact with aluminium, brass, bronze, copper, lead,tin, zinc or other alkali sensitive metals or alloys, Nitro methane & Nitro compounds. |
| Reactivity | |
| Air | Reactive |
| Water | Highly hygroscopic |
| Acids | Reactive |
| Alkalis | Reactive |
| Hazardous Decomposition Products | Not Known |
| TOXICITY DATA | |
| Short term effects when: | |
| In contact with skin | Severe Irritation, burns |
| In contact with eyes | Severe Irritation, burns, eye damage , blindness |
| Inhalation | Severe Irritation, burns, pulmonary edema |
| Ingestion | Severe Irritation, burns, nausea, vomiting |
| Long term effects when: | |

Dermatitis Visual disturbances No effects are known. No effects are known.



| | Exposure Limits | 2 mg / m ³ OSHA TWA 2 mg / m ³ OSHA ceiling 2 mg / m ³ ACGIH ceiling 2 mg / m ³ MEXICO peak |
|---|--|---|
| | Acute Toxicity | LD ₅₀ (Dermal - Rabbit) 1350 mg/ kg LD ₅₀ (50 % solution Oral - Rat) 220 mg/ kg |
| | Chronic Toxicity | Chronic effects are due to long – term irritation. Dermatitis on the skin or recurrent corneal ulceration and visual disturbances. In rare cases reports have noted long-term inhalation causes bronchial inflammatory reaction or obstructive airway dysfunction |
| | Carcinogenic Toxicity | No Data available |
| | Mutagenic Toxicity | No |
| | Reproductive Toxicity | No information is available |
| , | FIRST AID MEASURES | |
| | Skin Contact | Wash the affected area with plenty of water and soap.Seek medical aid |
| | Eye Contact | Wash with plenty of water for 15-20 minutes. Seek medical Aid immediately. |
| | Inhalation | Remove the victim from exposure. Support respiration, gives oxygen if necessary |
| | Ingestion | Give water or milk followed by dilute vinegar or fruit juice. Do not induce vomiting. If in doubt seek medical attention immediately. |
| | FIRE / EXPLOSION HAZARD DATA | |
| | Fire Extinguishing Data | Non combustible material |
| | | On combustion emit fumes of sodium oxide .Do not use water. Use extinguishing agents appropriate for surrounding fire. Move containers from fire area if it can be done without risk. |
| | Would any material saturated with this product be subject to spontaneous combustion? | No |
| | Fire Fighting Protective equipments | Wear full protective clothing, goggles, masks |
| | Unusual Fire and Explosive Hazards | During a fire in which this material is involved, Na ₂ O may be liberated. Shovel dry material into suitable container. Keep out of water supplies and sewers. This material is alkaline and may raise the pH of surface water with low buffering capacity. |

7.

8.



9. PERSONAL PROTECTION **General Precaution** Provide local exhaust ventilation where dust or mist may be generated. Ensure applicable exposure limits. Ventilation Requirements Provide local exhaust ventilation where dust or mist may be generated. Ensure applicable exposure limits. **Respiratory Protection** A NIOSH approved respirator with N95 (dust, fume, mist) filters may be permissible under certain circumstances where air borne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of over-exposure. A half face piece air-purifying respirator may be used in concentrations up to 10X the acceptable exposure level and a full face piece air-purifying respirator may be used in concentrations upto 50X the acceptable exposure level. Supplied air should be used when the level is expected to be above 50X the acceptable level, or when there is a potential for uncontrolled release. **Protective** Clothing Wear protective clothing to minimize skin contact. When potential for contact with wet material exists, wear Tychem (R) SL or a similar chemical protective suit. When potential for contact with dry material exists, wear disposable overalls such as Tyvek (R) Wear chemical resistant safety goggles if eye contact is likely. When Eye Protection wet mixing, wear splash resistant safety goggles with a face shield. Provide an emergency eye wash fountain and quick drench. Gloves Wear suitable gloves, Discard contaminated leather goods. When wet mixing, wear chemical resistant gloves such as butyl rubber, natural rubber, neoprene or nitrile. Protective Material Types Butyl rubber, canvas, leather, natural rubber, neoprene, nitrile, Tychem (R) and Tyvek (R) 10. HANDLING AND STORAGE Store in a cool, dry and well-ventilated place. Keep containers Handling closed. Keep away from heat, sparks and flames. Use only with adequate ventilation. Avoid contact with eyes, skin or clothing. Storage Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Do not store in aluminium container or use aluminium fittings or transfer lines, as flammable hydrogen gas may be generated. Keep separated from incompatible substances. The filled container is kept on wooden pallets.



11. SPILLAGE/ACCIDENTAL RELEASE

| Spillage | Do not touch spilled material. Prevent it entering sewers. Dry manual lifting of the spilled material is suggested without making dust Wash the surface with plenty of water and soap. |
|---------------------------|--|
| Personal Precautions | Avoid generation of dust. Avoid eyes & skin contact. Avoid inhalation. Avoid ingestion. Wear appropriate personal protective equipments. |
| Environmental Precautions | Prevent contamination of soil and water. |
| WASTE DISPOSAL | |
| Waste Disposal | Seal all waste in airtight plastic bags for eventual disposal as per the guidelines of National/Regional Regulations. |
| | Packing materials gets contaminated. Before disposal wash thoroughly with water and then dispose off by appropriate methods in |

accordance with National / Regional requirement.

13. ENVIRONMENTAL INFORMATION

12

14.

| Bio - Accumulation | No b | io-accumu | lation | |
|-------------------------------|--|--|-------------------------------|--|
| Biodegradability | This | This material is inorganic and not subject to biodegradation. | | |
| Persistence | This | This material will exist in the dissociated state | | |
| Toxicity | | This material has exhibited slight toxicity to terrestrial organisms and moderate toxicity to aquatic flora & fauna. | | |
| Mobility | If released in water the product is highly soluble and contaminates the water resources. | | | |
| REGULATORY INFORMATION | | | | |
| Danger Symbol | • | С | Corrosive | |
| | • | R | Reactive | |
| | • | Ν | Dangerous for the environment | |
| Risk Phrases | R20/R21/R22: Harmful by inhalation, in contact with skin and if | | | |
| | swallowed. | | | |
| | R34: Causes burns | | | |
| | R36/37/38: Irritating to eyes ,respiratory system & skin | | | |
| | R50/53: Very toxic to aquatic organisms, may cause long term | | | |
| | adverse effects | | | |
| | R41: Risk of serious damage to eyes. | | | |

R54/R55/R56: Toxic to flora, fauna & soil organisms **R66:** Repeated exposure may cause skin dryness or cracking



| Safety Phrases | S2: Keep out of the reach of children. |
|----------------|---|
| | S14/15: Keep away from 1,2,4,5-tetrachlorobenzene and acetic acid |
| | and its derivatives & heat. |
| | S22/23: Do not breathe dust, do not breathe gas /fumes/vapor/spray |
| | S24/S25: Avoid contact with skin, eyes. |
| | S26: In case of contact with eyes ,rinse immediately with plenty o |
| | water and seek medical advice. |
| | S27: Take off immediately all contaminated clothing. |
| | S28: After contact with skin ,wash immediately with plenty of wate |
| | and soap. |
| | S36/37/39: Wear suitable protective clothing, gloves and eye/face |
| | protection. |
| | S45: In case of accident or if you feel unwell, seek medical advice |
| | immediately and show the label where possible |
| | S46: If swallowed, seek medical advice immediately and show this |
| | label or container. |
| | S61: Avoid release to the environment |
| | S62: If swallowed, do not induce vomiting; seek medical advice |
| | immediately and show the label. |

| UN No. & Symbols | 1823, "Corrosive Substance" |
|--------------------------|--------------------------------------|
| Proper Shipping Name | Sodium hydroxide s <mark>olid</mark> |
| Hazard Class or Division | 8 |
| Packing Group | П |
| Labeling Requirements | SODIUM HYDROXIDE SOLID |

15.



16. OTHER INFORMATION

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and neither it is to be considered a warranty or quality specification, nor as a binding statement on contractually agreed product qualities. Aditya Birla Chemicals (India) Ltd does not take any guarantee or legal liability expressed or implied under any circumstances in respect of the adequacy of this document for any particular purpose.